



616 - 1/4



030 005138/616

Down to Earth (Victoria) Co-Operative Society Limited  
Po Box 295  
BRUNSWICK EAST VIC 3057

Our ref: OUT23/113  
Date: 09/02/2023

Customer Reference Number: 300388

---

Subject: Extension of non-urban water metering compliance date to 1 June 2023 for Southern Inland NSW including the Murray Alluvial Groundwater Sources

Dear Licence/Approval Holder

### Why am I getting another letter?

We recently wrote to you about the following water supply work approval to notify you about new metering conditions which would apply from 1 December 2022, unless a metering exemption applies. There have been changes made to your conditions since that letter was sent.

Approval(s): 50WA504692

### What has changed?

Water users in the NSW Southern Inland region have been given extra time to install non-urban metering equipment in the wake of significant rainfall and widespread flooding. The deadline has been extended by 6 months and the new compliance date is 1 June 2023.

We have updated your licence and approval conditions which specified the previous date to reflect this new date. A list of the updated conditions is at the end of this letter. These updated conditions replace the conditions we previously added to your licence and approval. You can check a complete list of your conditions on the NSW Water Register at [waterregister.watnsw.com.au](http://waterregister.watnsw.com.au).

### Do I need to do anything?

#### **You must comply with your existing conditions until 1 June 2023**

You must comply with your existing conditions from the water sharing plan about metering and logbooks until 1 June 2023.

#### **If your meter has been moved or damaged due to flooding, additional requirements apply**

If a meter has been moved due to flooding—and *is still operating properly*—it must be reinstalled and revalidated by a duly qualified person.

If a meter has been moved or damaged due to flooding—and *is no longer operating properly*—a s91i self-reporting form must be submitted to WaterNSW.

This form must be submitted within 24 hours of becoming aware that the meter is no longer operating properly.

**Any new metering equipment must comply with the new standards**

If you are replacing old or damaged metering equipment, or installing new metering equipment, you must ensure your new meter complies with the new metering equipment standards. This requirement applies even if you install your new metering equipment before 1 June 2023.

**If you need to install new metering equipment, act now if you can**

While the timelines are being extended, water users who are able to install compliant metering equipment are encouraged to contact a DQP and put the technology in place well ahead of the new deadlines.

**Need help?**

For questions about the non-urban metering rules, contact the department on 1300 081 047.

For questions about your conditions, or to request a new copy of your conditions, contact WaterNSW on 1300 662 077. Please ensure you have your work approval number ready when you call. This can be found on the first page of this letter.

If you need an interpreter, please call the Translating and Interpreting Service on 131 450 between 9am and 4:30pm and ask them to telephone WaterNSW on 1300 662 077.

Yours sincerely,

Allan Raine

Director, Water Planning Implementation

Department of Planning and Environment – Water

Updated water sharing plan conditions which now apply until 1 June 2023 - Murray Alluvial Groundwater Sources



616 - 3/4

- Condition MW6977-00003 replaced with Condition MW8193-00001 – logbook requirements
- Condition MW6979-00003 removed – annual recording requirements
- Condition MW6984-00005 replaced with Condition MW8194-00001 – logbook requirements
- Condition MW7038-00002 replaced with Condition MW0738-00001 – metering requirements
- Condition MW7039-00002 replaced with Condition MW2452-00001 - logbook requirements
- Condition MW7054-00002 replaced with Condition MW8195-00001 - logbook requirements

Updated reporting and recording conditions which now apply from 1 June 2023

- Condition MR7737-00002 replaced with Condition MR7737-00007- recording and reporting water take information for works which have compliant metering equipment
- Condition MR7738-00002 replaced with Condition MR7738-00007- reporting water take information for works which have compliant metering equipment, and are not connected to a local intelligence device via telemetry
- Condition MR7739-00002 replaced with Condition MR7739-00007- recording and reporting water take information for works which are not required to meter, and do not have compliant metering equipment